

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

to the life from which they were taken to jail, it may be some time before they are reinfected. In the women treated for syphilis, we consider that about half so far advanced in the cure that reinfection may be possible. In the other fifty per cent of the cases, we are not so optimistic, and these women are considered to be in the latent tertiary stage. The amount of medication administered to them during their enforced hospitalization should, however, prevent any infectious lesions for a long time.

On the other hand, many of the girls, rid of the disease which may have prevented them from returning to a more decent mode of living, will not now be hindered by this cause, and will revert to domesticity without being a danger to all their associates.

The expense of such an undertaking seems large when first considered, but the end results warrant even greater expenditures of money. For each woman rendered noninfectious, a number of men are probably prevented from receiving an infection which takes years to cure and which they may pass to others. While the prostitute is in jail she should be treated with the most modern methods and drugs at our command, that in addition to the penal routine, she have her health restored.

## References

Kern: Special Report of the Attorney General of Porto Rico to the Governor of Porto Rico. San Juan, P. R., Feb. 1, 1919. Vedder: Syphilis and Public Health. 1918.

Goodman: The Syphilitic Prostitute. Bulletin of Porto Rican Medical

Association, September, 1919.

Genital Defects and Venereal Diseases Among the Porto Rican Troops. J. A. M. A., lxxii, 907, 1919. (March 29, 1919.)

: The Porto Rican Experiment. Social Hygiene, v, 185, 1919. (April, 1919.)

Payne: The Vice Problem in Porto Rico. Social Hygiene, v, 240, 1919.

(April, 1919.)

Goodman: Experiences with Neodiarsenol, Medical Record, April 19, 1919.

of Syphilis, iii, 448, 1919. (July, 1919.)

The Intensive Treatment of Women with Arsenobenzol. A. J. of Syphilis, October, 1919, iii, 661.

Ruiz Soler: Annual Report of the Board of Health of Porto Rico, San Ruiz Soler: Annual Report of the Board of Health of Porto Rico, San Ruiz Soler: Annual Report of the Board of Health of Porto Rico, San Ruiz Soler: Annual Report of the Board of Health of Porto Rico, San Ruiz Soler: Annual Report of Ruiz Ruiz Soler.

Juan, P. R., 1918, also Government Printing Office, Washington, D. C.

Goodman: Skin Diseases Among the Porto Rican Draft Troops. New Orleans Medical and Surgical Journal, December, 1919.

-: Ulcerating Granuloma of the Pudenda. Arch. of Derm., February, 1920.

Prostitution and Community Syphilis. American Journal of

Public Health, July, 1919.

Syphilis Among the Porto Rican Draft Troops. Urological and

Cutaneous Review, xxiii, 567, 1919. (November, 1919.)

—From Herman Goodman, M. D., Yew York City; formerly Venereal Disease Officer, Camp Las Casas, Porto Rico. Medical Record, N. Y., March 20, 1920.

The Syphilitic Prostitute.—Dr. Herman Goodman reported in the Boletin de la Asociacion Medica de Puerto Rico a special study made to answer the question, "At what age is the prostitute most dangerous?" He determined that 139 of the 791 girls were under 17 years of age; 42 per cent of this group had three or four plus Wassermann reactions; 15 per cent of these young girls had active infectious syphilitic manifestations, such as chancre, mucous patch, or condylomata lata.

The age period from 18 to 22 gave 388 prostitutes, or about 48 per cent of the total studied. Of these 388, 193, or about 50 per cent, were strongly Wassermann positive, and 11 per cent had active genital lesions of syphilis.

One hundred and forty-seven girls were in the next age group, 23-27, of whom 45 per cent were serologically positive, and 11 per cent had dangerous syphilitic manifestations.

Only 64 women were in the age group of 28-32, and 43 per cent of these had three or four plus Wassermann reactions, but only four per cent were with active lesions.

Beyond 32 the number of women became much smaller, and the percentage of positive Wassermann reactions became much lower, while none showed any infectious manifestations.

In the series studies there were 422 whites, 304 mulattoes, and 65 negresses. Even with this disparity of numbers, the percentage of Wassermann positive cases was constant, about 47 per cent for each color. The ratio of active syphilitic cases, however, showed a marked difference. The whites gave 10 per cent, the mulatto 13 per cent, and the negress only 3 per cent with infectious syphilitic manifestations.

## COURTS-LAWS

The Public Defender.—Society owes a duty to the "under dog." Its obligation is becoming more apparent in the various phases of human endeavor. In the wake of the great world crisis through which we have been passing, class and financial distinctions are disappearing. The masses of the people everywhere are clamoring for social and economic justice. One of the signs of unrest is the rapidly growing movement for a "square deal" in the courts. In this connection, the establishment of the office of public defender is being persistently urged. Throughout the United States and England, the demand for elemental justice is developing with an ever-increasing force. The public defense of indigents accused of crime is a necessary counterpart of public prosecution. A duty devolves upon the state to shield the innocent as well as to punish the guilty. Does the state at present discharge this obligation? Does it protect the weak as well as the strong? Are the scales of justice evenly balanced? If we answer these questions in the negative—and we must—the need for a change is readily seen.

If our so-called "presumption of innocence" and "equality before the law" are to be effective, the state must defend as well as prosecute accused persons, particularly those who are unable to protect themselves. Society as a whole does not presume the accused innocent—it presumes him guilty. All classes of accused persons, whether rich or poor, must be given equal opportunities, equal resources and equal rights. The ascertainment of the truth is the primary consideration in the trial of a case. Any plan which tends towards that result merits the serious thought of our citizens. The trial of an issue involving human life or liberty must cease to be an unequal contest between the powerful state on the one hand and a weak and helpless defendant on the other. A "battle of wits" between opposing counsel for partisan advantage is not the true conception of a criminal trial.